

## The Explorer Collection - MultiPly Technical Specifications

■ **Product Name:**

Wood Flooring International Explorer Collection - MultiPly

■ **Imported By:**

Wood Flooring International, Inc.  
Burlington, NJ 08016 – 856-764-2501  
e-mail: wfi@wflooding.com - web: www.wflooding.com

■ **Sizes:**

- **Thickness:** 5/16" (7mm)
- **Width:** 3" (76.2mm) & 5" (127mm)
- **Length:** Random between 12"–48" long,  
with 36" approx. average

■ **Milling:**

Milled Tongue and Grooved all 4 edges. Milled with Ultra MicroEased edges and Square ends.



■ **Construction:**

Seven-ply, engineered construction composed of a sliced veneer, .6mm thick wear layer laminated to a 5 layer cross laminated core, backed by a like density balancing veneer backer.

■ **Grade:**

**Select Grade** - Allows the full range of color/grain found in a species. No defects allowed, including knots, splits, checks, worm holes, excessive mineral streaks or contrasting sapwood. (Except Amendoim, which is a character-filled species and contains burls, small pin knots and worm holes.

WOOD FLOORING INTERNATIONAL		The Explorer Collection MultiPly Wood flooring	
5/16" x 3" or 5" Explorer Collection			
Drawing: M - EC 3" - 5"		Date: February 1, 2005 (1) 856-764-2501 www.wflooding.com	



## The Explorer Collection - MultiPly

### Technical Specifications

- **Moisture Content:**
  - 8% +/- 1.5%
- **Shipping Weight:**
  - 1.2 lbs. per sqft
- **Specie Choices:**


Products Available in The Explorer Collection - MultiPly		
	Select Grade	Natural Grade
<b>North American</b>	<b>3" &amp; 5"</b>	<b>3" &amp; 5"</b>
N. American Cherry	X	
White Oak		X
<b>Exotic</b>	<b>Select Grade</b>	<b>Natural Grade</b>
Amendoim		X
Brazilian Cherry - Sangria	X	
Brazilian Cherry - Chocolate	X	
Mani - Latte		X
Mani - Caramello		X
Mani - Cappuccino		X
Mani - Amaretto		X
Bolivian Rosewood	X	
Santos Mahogany	X	
Timborana	X	

- **Finish:**

9 Coat, High Wear UV cured Acrylic Urethane w/aluminum oxide in base coats and Anti-Scratch top coats in a Satin Gloss.
- **Packaging:** Packaged in nested bundles as follows:
  - 3" @ 40.00 sqft box / 2540.00 sqft pallet
  - 5" @ 28.33 sqft box / 2266.40 sqft pallet
- **Stock Availability:**

Always call first for stock availability as we do run out of different species/grades/widths from time to time.

<b>WOOD FLOORING INTERNATIONAL</b>	
High Wear Acrylic U.V Finish	
Drawing: Fin - Anti - Scratch	Date: February 1, 2005 (1) 856-764-2501 www.wflooring.com



1) Primer Coat  
2) Fill Coat w/aluminum oxide & ceramic particles  
4, 5, 6) Fill Coats  
7, 8, 9) Anti-Scratch Top Coats

## The Explorer Collection - MultiPly Technical Specifications

### ■ Installation:

For Gluedown or Floating installation.

See Wood Flooring International's MultiPly Installation Instructions for complete details.

### ■ Site Conditions:

Control relative humidity on site to maintain an approx. 40 - 60% relative humidity on site.

Do not nail/glue flooring to wet sub floors or in areas which will be subject to wet conditions. See Wood Flooring International's MultiPly Installation Instructions for complete details.

### ■ Warranty Quick Review: See Wood Flooring International's MultiPly Classic Collection Warranty for full details & all exclusions. Below is a brief overview of the warranties.

- Pre-Installation Guarantee** – Any visible milling/wood/grade/finish defects in excess of the industry standard 5% allowable will be replaced/credited by the manufacturer when set aside **prior** to installation.
- Structural Guarantee** – Product will not delaminate – Lifetime guarantee.  
(Exclusions – excessive moisture/soaking).
- Rescreening/Refinishing Warranty** – This product may be re-screened/refinished up to three times when performed correctly by a professional floor refinisher.  
(Exclusions – refinishing excessive wear/gouges &/or improper rescreening).
- Finish Guarantee** – For a period of 27 years residentially (& 3 years light commercial use), the finish will not wear through under normal conditions and with proper maintenance. (Exclusions – improper wear & tear, improper maintenance).

### ■ WFI's Web Site Links:

Below is a list of links to various relevant sections on WFI's web site. Please be sure to visit our web site at [www.wflooring.com](http://www.wflooring.com) for complete information.

1. [www.wflooring.com](http://www.wflooring.com) – Wood Flooring International's Home Page.
2. Wood Flooring International's Explorer Collection – review of technical specifications for this flooring style.
3. Wood Flooring International's Installation Instructions – to access Wood Flooring International's Installation Instructions.
4. Wood Flooring International's Warranties – to access Product and Finish Warranties.
5. Wood Flooring International's Maintenance Instructions – to access Wood Flooring International's Maintenance Instructions.
6. MSDS – to access the Material Safety Data Sheets for this product & Allergic Reaction Safety Recommendations.

Note: The underlined links throughout this document are active only when viewing in e-mail or on the web. The drawings also auto-enlarge when clicked on. If you are viewing this from a printed "hard copy", you may want to visit our website at [www.wflooring.com](http://www.wflooring.com) to view this document live where all the links are active.