

## The Voyager Collection - MultiPly Technical Specifications

### Product Name:

Wood Flooring International's Voyager Collection - MultiPly

### Imported By:

Wood Flooring International, Inc.  
Burlington, NJ 08016 – 856-764-2501  
e-mail: wfi@wflooding.com - web: www.wflooding.com

### Sizes:

- **Thickness:** 3/8" (8.9mm)
- **Width:** 3" (76.2mm) & 5" (127.0mm)
- **Length:** Random with:  
3" & 5" widths between 12"–48" long, with 36" min. average

### Milling:

Milled Tongue and Grooved all 4 edges. Milled with Ultra MicroEased edges and Square ends.

### Construction:

Five-ply, engineered construction composed of a rotary peeled veneer, 1.2mm thick wear layer laminated to a 3 layer cross laminated core backed by a like density balancing veneer backer.



### Grade:

**Select Grade** - This grade is a mixed grain selection, without defect.

### Tinting:

- Brazilian Cherry - Auburn, has been stained a darker reddish brown color.
- Brazilian Cherry - Rosa, has been stained a reddish color.
- Timborana and Patagonian Rosewood have been tinted slightly to provide a more uniform color range.

WOOD FLOORING INTERNATIONAL		The Voyager Collection MultiPly Wood Flooring	
MultiPly 3/8" x 3" or 5" Voyager Collection			
Drawing: D- MultiPly		Date: February 1, 2005 (1) 856-764-2501 www.wflooding.com	



## The Voyager Collection - MultiPly

### Technical Specifications

- **Moisture Content:**
  - 8% +/- 1.5%
- **Shipping Weight:**
  - 1.8 lbs. per sqft
- **Specie Choices:**

### Products Available in The Voyager Collection - MultiPly


	Select Grade
	3/8" x 3" & 5"
Amendoim	X
Brazilian Cherry - Rosa	X
Brazilian Cherry - Auburn	X
Mani - Latte	X
Mani - Caramello	X
Mani - Cappuccino	X
Mani - Amaretto	X
Patagonian Cherry	X
Patagonian Rosewood - Natural	X
Patagonian Rosewood - Stained	X
Santos Mahogany	X
Timborana	X

- **Packaging:** Packaged in nested bundles as follows:
  - 3" @ 26 sqft box / 1092 sqft pallet
- **Stock Availability:**

Always call first for stock availability as we do run out of different species/grades/widths from time to time.
- **Finish:**

9 Coat, High Wear UV cured Acrylic Urethane w/aluminum oxide in base coats and Anti-Scratch top coats in a Satin Gloss.

WOOD FLOORING INTERNATIONAL	
High Wear Acrylic U.V Finish	
Drawing: Fin - Anti - Scratch	Date: February 1, 2005 (1) 856-764-2501 www.wflooring.com



- (1) Stain Coat ( optional ) Primer Coat
- (2,3) Fill Coat w / aluminum oxide & ceramic particles
- (4,5) Fill Coat
- (6) Base Coat
- (7) 2nd Base Coat
- (8,9) Top Coats - Anti Scratch

## The Voyager Collection - MultiPly

### Technical Specifications

#### ■ Installation:

For Gluedown, Floating or Naildown installation.

See Wood Flooring International's MultiPly Installation Instructions for complete details.

#### ■ Site Conditions:

Control relative humidity on site to maintain an approx. 40 - 60% relative humidity on site.

Do not nail/glue flooring to wet sub floors or in areas which will be subject to wet conditions. See Wood Flooring International's MultiPly Installation Instructions for complete details.

#### ■ Warranty Quick Review: See Wood Flooring International's MultiPly Warranty for full details & all exclusions. Below is a brief overview of the warranties.

- Pre-Installation Guarantee** – Any visible milling/wood/grade/finish defects in excess of the industry standard 5% allowable will be replaced/credited by the manufacturer when set aside **prior** to installation and returned.
- Structural Guarantee** – Product will not delaminate – Lifetime guarantee.  
(Exclusions – excessive moisture/soaking).
- Rescreening/Refinishing Warranty** – This product may be re-screened/refinished up to three times when performed correctly by a professional floor refinisher.  
(Exclusions – refinishing excessive wear/gouges &/or improper rescreening).
- Finish Guarantee** – For a period of 27 years residentially (& 3 years light commercial use), the finish will not wear through under normal conditions and with proper maintenance. (Exclusions – improper wear & tear, improper maintenance).

#### ■ WFI's Web Site Links:

Below is a list of links to various relevant sections on WFI's web site. Please be sure to visit our web site at [www.wflooring.com](http://www.wflooring.com) for complete information.

1. [www.wflooring.com](http://www.wflooring.com) – Wood Flooring International's Home Page.
2. [Wood Flooring International Engineered MultiPly](#) – review of technical specifications for this flooring style.
3. [Wood Flooring International's Installation Instructions](#) – to access Wood Flooring International's Installation Instructions.
4. [Wood Flooring International's Warranties](#) – to access Product and Finish Warranties.
5. [Wood Flooring International's Maintenance Instructions](#) – to access Wood Flooring International's Maintenance Instructions.
6. [MSDS](#) – to access the Material Safety Data Sheets for this product & Allergic Reaction Safety Recommendations.

Note: The underlined links throughout this document are active only when viewing in e-mail or on the web. The drawings also auto-enlarge when clicked on. If you are viewing this from a printed "hard copy", you may want to visit our website at [www.wflooring.com](http://www.wflooring.com) to view this document live where all the links are active.